



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/522,353

01/26/2005

Ian M Robertson

555255012830

1392

24325

7590

09/17/2008

PATENT GROUP 2N
JONES DAY
NORTH POINT
901 LAKESIDE AVENUE
CLEVELAND, OH 44114

EXAMINER

NICKERSON, JEFFREY L

ART UNIT

PAPER NUMBER

2142

MAIL DATE

DELIVERY MODE

09/17/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/522,353	Applicant(s) ROBERTSON, IAN M	
	Examiner JEFFREY NICKERSON	Art Unit 2142	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 August 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-49 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-49 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is in response to Application No. 10/522,353 filed nationally on 26 January 2005 and internationally on 29 July 2003. The request for continued examination presented on 08 August 2008, which provides change to claims 1 and 39, is hereby acknowledged. Claims 1-49 have been examined.

Specification

2. The amendment presented on 09 July 2008 that provides change to the abstract is noted. All prior objections to the abstract are hereby withdrawn.

Response to Arguments

3. Applicant's arguments filed 08 August 2008 have been fully considered but they are not persuasive.

Independent claims 1 and 38

Applicant argues that the new limitation, as amended into claims 1 and 38, is not taught by any of the cited references. Specifically, applicant argues that the following limitation is not taught by any of the art of record:

wherein said determining whether the outgoing message is related to the previously received message is based upon the outgoing message and the previously received message having at least a portion of message content in common or comprising a message thread.

The examiner respectfully disagrees, as a very similar limitation is found in the previously presented claim 2 and this subject matter can be found in the combined teachings of Ramsdell (RFC 2633) and Klein (US 6,496,853 B1).

Ramsdell teaches wherein said determining whether the outgoing message is related to the previously received message is based upon the outgoing message and the previously received message having at least a characteristic in common or comprising a message thread, specifically where the characteristic is the outgoing message's destination email address and the previous received message's sender email address (Ramsdell: pg 10, lines 28-40).

Klein teaches wherein the message characteristic can be common content and wherein message contents are used to identify related messages (Klein: Figure 7, col 11, lines 43-52; See also col 11, lines 27-38).

Therefore, while the amendment overcomes the previous cited rejection against independent claims 1 and 39, it does not overcome the previously cited art of record.

Dependent claims 2-38, 40-49

Applicant argues these claims conditionally on the arguments above.

Art Unit: 2142

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-8, 21-27, 33-34, and 39-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsdell (RFC 2633, June 1999), and in further view of Klein (US 6,496,853 B1).

Regarding claim 1, Ramsdell teaches a method of mimetic settings selection on a messaging client (sending agent), comprising the steps of:

detecting an outgoing message (Ramsdell: pg 9, lines 22-23 specify the sending agent recognizing it is sending a message);

determining whether the outgoing message is related to a previously received message, the received message having message characteristics (Ramsdell: pg 10, lines 28-40 specify that if encryption capabilities aren't readily known that it should try to find a recently received message from that recipient, the recently received message having being encrypted);

wherein said determining whether the outgoing message is related to the previously received message is based upon the outgoing message and the previously received message having at least a characteristic in common or comprising a message

Art Unit: 2142

thread, specifically wherein the characteristic is the outgoing message's destination email address and the previous received message's sender email address (Ramsdell: pg 10, lines 28-40);

determining messaging settings (encryption algorithm) associated with the message characteristics (encryption) of the received message where the outgoing message is related to a previously received message (Ramsdell: pg 10, 28-40 specify that if a related message is found its encryption algorithm should be used); and

selecting the messaging settings (encryption algorithm) with the message characteristics (encryption) of the received message to control message characteristics (encryption) of the outgoing message (Ramsdell: pg 10, lines 28-40 specify that the encryption algorithm of the related message be used on the outgoing message).

Ramsdell does not teach wherein the determining whether the outgoing message is related to a previously received message is based on the contents of the messages

Klein, in a similar field of endeavor, teaches wherein the determining whether the outgoing message is related to a previously received message is based on the contents of the messages (Klein: Figure 7, col 11, lines 43-52; See also col 11, lines 27-38).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Klein for identifying related messages based on common message contents. The teachings of Klein, when implemented in the Ramsdell system, will allow one of ordinary skill in the art to identify related messages based on a multitude of criteria. One of ordinary skill in the art would be motivated to utilize the teachings of Klein in the Ramsdell system in order to more

Art Unit: 2142

efficiently and effectively identify related messages based on various criteria consisting of more than just the recipient information.

Regarding claim 2, the Ramsdell/Klein system teaches wherein the step of determining whether the outgoing message is related to a previously received message comprises the step of determining whether the outgoing message includes a portion of the previously received message (Klein: col 11, line 43-52 specify using message contents to identify related messages; See also Figure 7; See also col 11, lines 27-38).

Regarding claim 3, the Ramsdell/Klein system teaches wherein the received message comprises an attachment, and wherein the step of determining whether the outgoing message includes a portion of a previously received message comprises the step of determining whether the outgoing message includes the attachment (Klein: col 11, lines 43-52 specify using message contents to identify related message; See also Figure 7; col 9, lines 6-9 specify that “message contents” include attached documents).

Regarding claim 4, the Ramsdell/Klein system teaches wherein the step of determining whether the outgoing message is related to a previously received message comprises the step of determining whether the outgoing message is a reply to a previously received message (Klein: col 1, lines 33-38).

Art Unit: 2142

Regarding claim 5, the Ramsdell/Klein system teaches wherein the step of determining the outgoing message is related to a previously received message comprises the step of determining whether the outgoing message is a forward message incorporating a previously received message (Klein: col 1, lines 33-38).

Regarding claim 6, the Ramsdell/Klein system teaches wherein the step of determining messaging settings (signature algorithm/encryption algorithm) comprises the steps of:

analyzing the received message to determine the message characteristics (Ramsdell: pg 10, lines 33-36 specify the previously received message is analyzed to determine the encryption);

determining messaging settings (encryption algorithm) that control the message characteristics (Ramsdell: pg 10, lines 37-40 specify using the received message's encryption to determine the encryption algorithm for the outgoing message).

Regarding claim 7, the Ramsdell/Klein system teaches wherein the message characteristics are specified in the received message, (Ramsdell: pg 20, lines 20-21 specify there is a field that contains the signature information) and wherein the step of determining message settings comprises the steps of:

accessing the specified message characteristics (Ramsdell: pg 23, lines 21-43 specify that the header can contain signature information; pg 10, lines 28-40 specify that the encryption algorithm of a received message would only be used if it is both encrypted and signed, therefore the signature would have to be checked);

and determining messaging settings that control the specified message characteristics (Ramsdell: pg 10, lines 28-40 specify determining the outgoing message encryption).

Regarding claim 8, the Ramsdell/Klein system teaches wherein the received message (MIME entity) comprises a messaging settings field (header) specifying messaging settings (the signature information) used for the received message, (Ramsdell: pg 20, lines 20-21 specify there is a field that contains the signature information)

and wherein the step of determining messaging settings (outgoing encryption algorithm) comprises the step of accessing the messaging settings field in the received message (Ramsdell: pg 23, lines 21-43 specify that the header can contain signature information; pg 10, lines 28-40 specify that the encryption algorithm of a received message would only be used if it is both encrypted and signed, therefore the signature would have to be checked, possibly via accessing the header).

Regarding claim 21, the Ramsdell/Klein system teaches wherein the message characteristics (both digital signature and encryption) of the received message comprise a message characteristic associated with a plurality of messaging settings (both encryption algorithm and signature algorithm), and wherein the step of selecting the messaging settings comprises the step of selecting one of the plurality of messaging settings (Ramsdell: pg 6, lines 18-21 indicate there is more than one type of signature and encryption algorithms that could be associated with a received message; pg 27, line

Art Unit: 2142

43 – pg 28, line 22 specify a handful of different encryption and signature algorithms; pg 10, lines 37-40 specify one of the algorithms is chosen for the outgoing message).

Regarding claim 22, the Ramsdell/Klein system teaches wherein the steps of determining messaging settings and selecting the messaging settings are repeated for each received message to which the outgoing message is related (Ramsdell: pg 11, lines 23-33 specify that if an outgoing message is addressed to multiple recipients, the multiple previously received messages may be analyzed to determine an encryption algorithm for each recipient).

Regarding claim 23, the Ramsdell/Klein system teaches wherein the outgoing message is related to a first received message having first message characteristics and a second received message having second message characteristics (Ramsdell: pg 11, lines 23-33 specify that an outgoing message could be addressed to multiple recipients with different encryption algorithms; pg 10, lines 28-40 specify the encryption determination can be done on previously received messages), and wherein the step of selecting the messaging settings associated with the message characteristics of the received message further comprises the steps of:

determining whether the first and second message characteristics (encryption) include conflicting messaging characteristics; (Ramsdell: pg 11, lines 23-33 specify the ability to identify if encryption algorithms don't overlap, and therefore conflict)

selecting the messaging settings (encryption) associated with the first and second message characteristics where the first and second message characteristics do not include conflicting messaging settings (Ramsdell: pg 11, lines 23-33 specify that if the encryption algorithms of the intended recipients don't overlap, the sending agent must then use multiple sending encryption algorithms. This provides that if the encryption algorithms do overlap, and therefore do not conflict, then it would not need to use multiple sending encryption algorithms and therefore encrypt the message with the overlapping encryption algorithm).

Regarding claim 24, the Ramsdell/Klein system teaches wherein the outgoing message is related to a first received message having first message characteristics and a second received message having second message characteristics (Ramsdell: pg 11, lines 23-33 specify that an outgoing message could be addressed to multiple recipients with different encryption algorithms; pg 10, lines 28-40 specify the encryption determination can be done on previously received messages), and wherein the step of selecting the messaging settings associated with the message characteristics of the received message further comprises the steps of:

determining whether messaging settings (encryption capabilities) associated with the first and second message characteristics include conflicting messaging settings; (Ramsdell: pg 11, lines 23-33 specify the ability to identify if encryption algorithms don't overlap, and therefore conflict)

selecting the messaging settings (encryption) associated with the first and second message characteristics where the messaging settings associated with the first and second message characteristics do not include conflicting messaging settings (Ramsdell: pg 11, lines 23-33 specify that if the encryption algorithms of the intended recipients don't overlap, the sending agent must then use multiple sending encryption algorithms).

Regarding claim 25, Ramsdell teaches wherein the step of selecting the messaging settings associated with the message characteristics of the received message further comprises the step of:

resolving conflicting messaging characteristics where the first and second message characteristics include conflicting message characteristics (Ramsdell: pg 11, lines 23-33 specify that if the encryption capabilities conflict, then two separate message could be sent with the differing encryption algorithms).

Regarding claim 26, the Ramsdell/Klein system teaches wherein the step of selecting the messaging settings associated with the message characteristics of the received message further comprises the step of:

resolving conflicting messaging settings where the messaging settings associated with the first and second message characteristics include the messaging settings (Ramsdell: pg 11, lines 23-33 specify that if the encryption capabilities conflict, then two separate message could be sent with the differing encryption algorithms).

Regarding claim 27, the Ramsdell/Klein system teaches wherein the step of resolving the conflicting messaging settings comprises selecting most secure messaging settings among the conflicting messaging settings (Ramsdell: pg 11, lines 23-33 specify that the message should only be sent with the strongest algorithm because it could easily be intercepted and broken if a second copy is sent with a weaker algorithm).

Regarding claim 33, the Ramsdell/Klein system teaches wherein the message characteristics of the received message comprise one or more characteristics selected from the group consisting of:

message format, message font, common message text, message signing (signatures), and message encryption (Ramsdell: pg 10, lines 28-40 specify the received encrypted message will be checked for a trusted signature, covering both signatures and encryption characteristics).

Regarding claim 34, the Ramsdell/Klein system teaches wherein the message signing and the message encryption are signing and encryption according to Secure Multipurpose Internet Mail Extensions (Ramsdell: Pg 1, lines 21-27 specify the security throughout the publication is about S/MIME encryption and signatures).

Art Unit: 2142

Regarding claim 36, the Ramsdell/Klein system teaches wherein the messaging client operates on a wireless mobile communication device (Klein: Figure 1; col 4, lines 58-67).

Regarding claim 37, the Ramsdell/Klein system teaches wherein the messaging client operates on a personal computer (Klein: Figure 1).

Regarding claim 39, this system claim comprises limitations found within claim 1 and the same rationale of rejection is used, where applicable, and wherein the system contains a message store configured to store messages having message characteristics (Ramsdell: pg 10, 28-40 specify the past received messages are analyzed for past used encryption techniques, indicating that the messages are stored, along with their characteristics; See also pg 8, lines 24-26).

Regarding claim 40, the Ramsdell/Klein system teaches wherein the message store is configured to store messages received by the messaging client and messages sent (pending to be sent) by the messaging client (Klein: col 3, lines 30-33 specify a message storage portion that contains received messages and pending messages; col 2, lines 3-18 specify storing threaded message conversation, implying it stores both those received and sent; See also Figure 1, item 159).

Art Unit: 2142

Regarding claim 41, the Ramsdell/Klein system teaches wherein the messaging client is further configured to determine whether the outgoing message is related to any of the messages received by the messaging client (Klein: Figure 4, item 420; col 11, lines 43-52).

Regarding claim 42, the Ramsdell/Klein system teaches wherein the messages in the message store include a message comprising a messaging settings field specifying messaging settings used to control the message characteristics of the message (Ramsdell: pg 10, lines 28-40 and pg 20, lines 20-21 specify accessing the signature header information to determine and control reply message encryption).

Regarding claim 43, the Ramsdell/Klein system teaches wherein the messaging client is further configured to select the messaging settings specified in the messaging settings field of the message in the message store to which the outgoing message is related (Ramsdell: pg 10, lines 28-40, pg 20, lines 20-21 specify the header and controlling of the message; Klein: Figure 1, item 159 depicts the messages can be stored).

Regarding claim 44, the Ramsdell/Klein system teaches further comprising a messaging settings store specifying messaging settings used to control the message characteristics of the messages in the store (Ramsdell: pg 8, lines 24-26 specify storing the preference data after analyzing a received message).

Art Unit: 2142

Regarding claim 45, the Ramsdell/Klein system teaches wherein the message store and the messaging settings store are indexed by message identifiers (Klein: Figure 3, item 315 and 325; See also col 8, lines 23-41).

Regarding claim 46, the Ramsdell/Klein system teaches wherein

the messaging client is further configured to access the messaging settings store (Ramsdell: pg 8, lines 24-26 specify storing the preference data after analyzing a received message is possible),

and to select the messaging settings specified in the messaging settings store for the message in the message store to which the outgoing message is related (Ramsdell: pg 10, lines 28-40).

Regarding claim 47, the Ramsdell/Klein system teaches wherein the system is implemented in a device selected from the group consisting of: a personal computer system (recipient computer systems), a handheld electronic device, a wireless mobile communication device, a mobile telephone having data communication functionality, a two-way pager, a voice communication device, a data communication device, and a dual-mode communication device (Klein: Figure 1, item 150 depicts a personal computer; See also col 3, lines 23-38).

Regarding claim 48, the Ramsdell/Klein system teaches wherein the message characteristics of the messages in the message store comprise secure messaging

Art Unit: 2142

characteristics selected from the group consisting of: message signing and message encryption (Ramsdell: pg 10, lines 28-40 specify the adjusted outgoing message characteristic is encryption and the received message store contains both signature and encryption information).

6. Claims 9-14, 16, 17, 28-32, and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsdell (RFC 2633, June 1999), in view of Klein (US 6,496,853 B1), and in further view of Thorne et al (US 5,958,005).

Regarding claim 9, the Ramsdell/Klein system teaches wherein the received message further comprises messaging settings and wherein the step of selecting settings comprises the step of selecting settings based off the received message settings.

Ramsdell does not teach wherein the message settings are control flags, nor does he choose selecting a setting based on the control flags.

Thorne, in a similar field of endeavor, teaches wherein the received message further comprises messaging settings control flags (Thorne: col 8, lines 27-42 specify that the original message may contain various control flags; See Figure 4 for all flag types); and

wherein the step of selecting comprises the step of selecting messaging settings based on the control flags (Thorne: col 10, lines 51-63 specify that the 'Display Times' indicator of the received message affects the duration of display for the message being composed as a reply as the outgoing message).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Thorne for using control flags to indicate setting attributes. The teachings of Thorne, when implemented in the Ramsdell/Klein system, will allow one of ordinary skill in the art to quickly identify particular message settings characteristics in a Boolean fashion. One of ordinary skill in the art would be motivated to utilize the teachings of Thorne in the Ramsdell/Klein system in order to provide more flexibility with the use of message settings.

Regarding claim 10 the Ramsdell/Klein/Thorne system teaches wherein

the control flags indicate which of the messaging settings specified in the messaging settings field (Thorne: col 10, lines 1-25 specify various flags controlling actions associated with the received email) must be selected for the outgoing message (Ramsdell: pg 10, lines 28-40 specify when the action is an outgoing message setting, such as an encryption algorithm).

Regarding claim 11, the Ramsdell/Klein/Thorne system teaches wherein

the message characteristics of the received message (Ramsdell: col 10, lines 28-40 specify received message characteristics being applied to outgoing messages) comprise required message characteristics (Thorne: Figure 3, one of items 306, 308, and 310 must be elected if the outgoing message is specified as being secure); and the step of selecting comprises the step of confirming that messaging settings associated with the required message characteristics are selected (Thorne: Figure 3,

Art Unit: 2142

item 310 back to item 304 contains a flow path that depicts confirming whether either item 306, 308, or 310 are selected).

Regarding claim 12, the Ramsdell/Klein/Thorne system teaches further comprising the step of alerting a user where messaging settings associated with the required message characteristics are not selected (Thorne: Figure 3, item 310 back to item 304 provides that the user is then prompted to select whether the document should be secure or not if none of the options are selected; col 7, lines 16-20 specify that the user may be prompted with a yes/no choice to indicate whether the message is secure).

Regarding claim 13, the Ramsdell/Klein/Thorne system teaches wherein the message characteristics of the received message (Ramsdell: col 10, lines 28-40) comprise required message characteristics (Thorne: col 7, lines 1-20 specify that all the control flags are required to be set with either a Yes or No choice by user input or maintaining their default settings; See also Figure 3), further comprising the steps of:

receiving an input from a user of the messaging client (Thorne: col 7, lines 1-20 specify user input; See Figure 3, items 306, 308, 310);

determining whether the input changes any of the required message characteristics (Thorne: Figure 3, item 310 into 304 depicts it determining if one has changed);

Art Unit: 2142

alerting the user where the input changes any of the required message characteristics (Thorne: Figure 3, item 310 into 304 depicts alerting the user when user input does not correctly change required characteristics).

Regarding claim 14, the Ramsdell/Klein/Thorne system teaches wherein the input specifies further messaging settings (Thorne: Figure 3, any setting besides 306, 308, or 310) in addition to the messaging settings associated with the required message characteristics, further comprising the steps of:

selecting the further messaging settings in addition to the messaging settings associated with the required message characteristics to control the message characteristics of the outgoing message (Thorne: Figure 3, items 306-320 depict user selecting multiple message settings, some required and some not).

Regarding claim 16, the Ramsdell/Klein/Thorne system teaches wherein the received message (Ramsdell: pg 23, lines 21-43 specify the use of headers of a received message to identify characteristics) comprises control flags indicating the required message characteristics (Thorne: col 8, lines 28-42 specify flags in the header for indicating if a secure characteristic flag, i.e. secret, confidential, or restricted, is required; See also Figure 4).

Regarding claim 17, the Ramsdell/Klein/Thorne system teaches wherein the message characteristics of the received message (Ramsdell: pg 23, lines 21-43 specify the use of

Art Unit: 2142

headers of a received message to identify characteristics) further comprise optional message characteristics (Thorne: col 7, line 66 – col 8, line 12 specify various optional characteristics of an outgoing message).

Regarding claim 28, the Ramsdell/Klein/Thorne system teaches wherein the step of resolving the conflicting messaging settings (Thorne: Figure 3, item 310 into 304 identifies when 'Secure?' has been answered with 'Yes' but no level of security has been chosen) comprises the steps of:

 alerting a user of the messaging client to the conflicting messaging settings (Thorne: Figure 3, item 310 into 304 provides the user is re-prompted for the security flag choice, thereby alerting the user);

 prompting the user to choose which of the conflicting messaging settings should be selected (Thorne: Figure 3, item 310 into 304 provides prompting the user to re-choose the secure document setting and cycles through items 304 to 310 until the conflict is resolved).

Regarding claim 29, the Ramsdell/Klein/Thorne system teaches further comprising the steps of:

 determining whether the received message comprises message restrictions established by a message sender (Thorne: col 10, lines 1-25 specify various restrictions that can be applied to a message being read or composed) where the outgoing message is related to a previously received message (Ramsdell: pg 10, 28-40);

Art Unit: 2142

determining whether processing of the outgoing message is allowed by the message restrictions where the received message comprises message restrictions (Thorne, col 10, lines 1-25 specify an do-not-forward specification); and

processing the outgoing message in accordance with the selected messaging settings where processing of the outgoing message is allowed by the message restrictions (Thorne: col 10, lines 1-25 specify that forwarding an email is processed in accordance with the restriction of the received message).

Regarding claim 30, the Ramsdell/Klein/Thorne system teaches a method further comprising:

contacting the message sender where the received message comprises message restrictions (Thorne: col 10, lines 51-53 specify that an auto-countdown expiration restriction can be extended, e.g. temporarily overridden, based off user input).

Regarding claim 31, the Ramsdell/Klein/Thorne system teaches a method further comprising:

contacting the message sender to request permission to process the outgoing message where processing of the outgoing message is not allowed by the message restrictions (Thorne: col 10, lines 35-53 specify that the notifications such as “Display Time Exceeded” can be shown to user once the auto-countdown expiration restriction has expired);

Art Unit: 2142

processing the outgoing message in accordance with the selected messaging settings where a response (user input, such as indicating a reply is to be sent) comprising permission to process the outgoing message is received from the message sender (Thorne: col 10, lines 51-54 specify that the user input can temporarily override this restriction, such as when constructing a reply).

Regarding claim 32, the Ramsdell/Klein/Thorne system teaches wherein the response further comprises an indication of required messaging settings to be used in the processing of the outgoing message (Thorne: col 10, lines 63-65 specify that after an indication of reply has been made by the user, e.g. a response, certain messaging settings are adjusted, such as the portion of the original message being removed from the reply).

Regarding claim 38, the Ramsdell/Klein/Thorne system teaches a method further comprising the step of:

selecting default messaging settings to control message characteristics of the outgoing message where the outgoing message is not related to a previously received message (Thorne: col 7, lines 1-15 specify that default settings can be used in the composition of a new message).

Art Unit: 2142

7. Claims 15 and 19-20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsdell (RFC 2633, June 1999), in view of Klein (US 6,496,853 B1) and Thorne et al (US 5,958,005), and in further view of Official Notice.

Regarding claim 15, the Ramsdell/Klein/Thorne system teaches controlling user input with regard to message characteristics.

The Ramsdell/Klein/Thorne system does not teach wherein controlling consists of ignoring the input where the input changes any of a required characteristic.

An official notice is taken that such use of ignoring user input as a form of controlling user input was well known in the art at the time the invention was made by one of ordinary skill in the art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize any user input controlling technique including ignoring user input because it would have enabled practicing the Ramsdell/Klein/Thorne system.

Regarding claim 19, the Ramsdell/Klein/Thorne system teaches the message settings field specifying message settings that may be used for outgoing messages.

The Ramsdell/Klein/Thorne system does not teach wherein message settings consist of alternative message settings that may be used in the stead of default message settings and wherein the step of selecting comprises selecting either the default message setting or the alternative messaging setting.

Art Unit: 2142

An official notice is taken that such use of specifying alternative settings and selecting either the default or alternative setting as a method of optimizing the selection of a final setting was well known in the art at the time the invention was made by one of ordinary skill in the art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize any method for determining an optimized final setting because it would have enabled practicing the Ramsdell/Klein/Thorne system.

Regarding claim 20, the Ramsdell/Klein/Thorne system does not teach wherein the messaging settings are specified in order of preference.

An official notice is taken that such use of specifying between settings in an order of preference as a method of optimizing the selection of a final setting was well known in the art at the time the invention was made by one of ordinary skill in the art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize any method for determining an optimized final setting because it would have enabled practicing the Ramsdell/Klein/Thorne system.

8. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsdell (RFC 2633, June 1999), in view of Klein (US 6,496,853 B1) and Thorne et al (US 5,958,005), and in further view of Carpenter et al (US 5,544,316).

Art Unit: 2142

Regarding claim 18, the Ramsdell/Klein/Thorne system teaches wherein the received message (Ramsdell: pg 23, lines 21-43 specify the use of headers of a received message to identify characteristics) comprises control flags indicating the required message characteristics (Thorne: Figure 4 depicts the header information such as the Secure flag and either the secret/confidential/restricted flag; Figure 3, item 310 into 304 depicts the secure flag indicates whether the subsequent secret/confidential/restricted flag is required).

The Ramsdell/Klein/Thorne system does not teach having a flag indicate which control flags are optional.

Carpenter, in a similar field of endeavor, teaches wherein user defined attributes are assigned either a 'required' or 'optional' flag (Carpenter: col 43, lines 6-11).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Carpenter for utilizing optional and required control flags. The teachings of Carpenter, when implemented in the Ramsdell/Klein/Thorne system, will allow one of ordinary skill in the art to quickly identify which message characteristics are either optional or required. One of ordinary skill in the art would be motivated to utilize the teachings of Carpenter in the Ramsdell/Klein/Thorne system in order to enable fully practicing the invention with user interaction.

Art Unit: 2142

9. Claim 49 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsdell (RFC 2633, June 1999), in view of Klein (US 6,496,853 B1), and in further view of Official Notice.

Regarding claim 49, the Ramsdell/Klein system teaches wherein the message characteristics of the receive message comprise a multitude of typical message characteristics (Klein: col 9, lines 3-15).

The Ramsdell/Klein system does not teach wherein the characteristics are selected from the group consisting of: message format and message font.

An official notice is taken that such use of message format and message font as user-specifiable message characteristics was well known in the art at the time the invention was made by one of ordinary skill in the art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize any known message characteristic including message format and message font because it would have enabled practicing the Ramsdell/Klein system.

10. Claim 35 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsdell (RFC 2633, June 1999), in view of Klein (US 6,496,853 B1), and in further view of Atkins (RFC 1991, August 1996).

Art Unit: 2142

Regarding claim 35, the Ramsdell/Klein system teaches wherein the message signing and message encryption are signing and encryption according to PGP.

Atkins, in a similar field of endeavor, teaches wherein the message signing and message encryption are signing and encryption according to PGP (Atkins: Pg 2, lines 14-22).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Atkins for using PGP. The teachings of Atkins, when implemented in the Ramsdell/Klein system, will allow one of ordinary skill in the art to encrypt or sign messages with yet another standard. One of ordinary skill in the art would be motivated to utilize the teachings of Atkins in the Ramsdell/Klein system in order to provide messaging with multiple signing and encryption capabilities and therefore make it more compatible for communication with a variety of clients and enable the invention to be reasonably practiced.

Cited Pertinent Prior Art

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- a. Breck (US 2003/0131063 A1) discloses a system for processing messages based on various preferences.
- b. Horvitz et al (US 2004/0002932 A1) discloses a system for processing messages based on priorities and preferences.
- c. Isaacs et al (US 6,832,245 B1) discloses a system for ranking contacts based on message content.
- d. Taylor et al (US 5,754,306) discloses a system with alternate messaging preferences.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JEFFREY NICKERSON whose telephone number is (571)270-3631. The examiner can normally be reached on M-Th, 8:30-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Caldwell can be reached on 571-272-3868. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. N./
Jeffrey Nickerson
Examiner, Art Unit 2142

/Andrew Caldwell/
Supervisory Patent Examiner, Art
Unit 2142